

Powerful against dirt and sludge

Even the best filter systems or skimmers sometimes don't help:

At some point, so much sludge is collected by sinking food, plant remains and other things at the bottom of the pond that a decent thorough cleaning is necessary. If the silt is ignored, sludge can form and become a muddy, persistent problem that affects the ecological balance in the pond in the long term. The result: extensive algae growth. Using extreme power, the OASE pond vacuums tackle the mud and remove even stubborn residue.

Our extensive range contains a wide assortment of models for every pond size and a whole host of applications.



At a glance

PondoVac:	Premium	5	4	3	Classic
Small ponds	••	••	••	••	••
Medium-sized ponds	••	••	••	••	••
Large and swimming ponds	••	••	••	••	••
Suction power and convenience	•••	•••	•••	•••	•••

Our pond vacuums at a glance



PondoVac Premium

The clue is in the name: a premium pond vacuum for daily use, including commercial applications. Maximum suction power of up to 20000 litres per hour. The inbuilt high-performance pump offers full flexibility even in rough terrain. The ideal partner for larger ponds such as swimming ponds or for the professional user.

(> From page 348)



PondoVac 5

Has even stronger suction power than the PondoVac 4. Also with built-in feed pump. This allows full flexibility even with frequent use and difficult terrain. Thanks to the optional floating hose connection, the vacuum can even handle smaller swimming ponds or pools.

(> From page 350)



PondoVac 4

Also equipped with the two-chamber system, but with a more powerful turbine and a comprehensive range of accessories. The PondoVac 4 therefore provides convenient vacuuming even for regular use. The perfect solution for medium-sized ponds or pools.

(> From page 352)



PondoVac 3

Equipped with the patented two-chamber system, the PondoVac 3 allows continuous vacuuming with no irritating interruptions. Ideal for occasional use on small to medium-sized ponds or pools.

(> From page 354)



PondoVac Classic

Simple pond vacuum for occasional use on smaller ponds. Can also be used as a dry vacuum. Requires short waiting periods for automatic emptying of the container.

(> From page 356)

PondoVac Premium

High-performance vacuum cleaner for professional pond and pool cleaning

+ "MADE IN GERMANY"

Precise and reliable German engineering skills at a particularly high quality level

+ PROFESSIONAL STANDARD

You can use your PondoVac Premium to clean garden ponds, swimming pools or natural pools. Or use it as a powerful wet vacuum cleaner in your home or business premises

+ PSSST

The suction power of the turbine is exceptionally quiet at only < 60 dB (A)



+ EXTREME

Powerful suction performance of up to 20,000 L/H – non-stop

+ FULL FLEXIBILITY


Thanks to the robust chassis with four solid rubber wheels and parking brake, PondoVac Premium is fully mobile and stable

+ SENSOR CONTROLLED

The 95 L container is emptied via sensor control

ACCESSORIES

Product	Product details	Stockist PU in units	Item no. (GB Version)	Item no.	
Telescopic pole PondoVac > Page 358	The three-part eccentric adjustment makes it easy to change to lengths between 1.8 m and 4.8 m. Includes quick-release connectors and plastic handles.			40303	
Floating suction hose PondoVac Premium > Page 358	The 12 m floating suction hose is impressively robust and has an extremely smooth inner wall surface: particularly effective suction. Both sides have a 50 mm socket.			40301	
Discharge hose, stable PondoVac Prem. > Page 358	10 m discharge hose that is slip-proof and resistant to bending. Thanks to the C-couplings on both sides, it can be extended with additional hoses by up to 30 m.			41298	
Premium rollable hose, rubberised C-52-10 > Page 358	10 m compact discharge hose extension with rubberised surface and double-sided C-coupling.			40302	
Round nozzle PondoVac Premium > Page 359	Transparent round nozzle for vacuuming detritus or leaves. 50 mm diameter.	1	Not available in GB	40305	
Flat nozzle PondoVac Premium > Page 359	Transparent flat nozzle for increased vacuuming of e.g. detritus on the bottom. 80 mm diameter and 50 mm connection.			40306	
Suction bell PondoVac Premium > Page 358	Detritus vacuum with transparent polycarbonate bell and rotating 39/50 mm connection. Ideal for gentle cleaning of gravel surfaces.			40304	
Wide-area nozzle PondoVac Premium > Page 358	Heavy 480 mm wide 4 kg flat nozzle for cleaning large surfaces, e.g. pools or swimming ponds. Includes a clever joint mechanism for the transition between bottom and wall.			40307	



1. In use:

PondoVac Premium

2. Easy to clean

The flexible cable connections allow access to the container without having to disconnect the connecting lines.

3. Drain with C-connection

On the pressure side, the PondoVac Premium has an aluminium C-connection for the discharge hose – reliable and sealed tight.

4. Strong feed pump

With a capacity of 27,000 l/h, the integrated feed pump is a real powerhouse and conveys particles up to 50 mm in size.

TECHNICAL DATA

Product	PondoVac Premium	
Dimensions (L x W x H)	mm	605 x 580 x 970
Rated voltage		230 V/50 Hz
Power consumption	W	1500
Pump power consumption	W	800
Power cable length	m	7.50
Net weight	kg	42.00
Guarantee (+ request guarantee) *	Years	2 + 1
Max. suction depth	m	2.60
Max. flow rate	l/h	20,000
Max. pump capacity	l/h	27,000
Operation with floating hose		50 mm
Stockist PU	Units	1
Item no. (GB Version)		Not available in GB
Item no.		40256

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee

PondoVac 5

Ambitious pond and pool vacuum with integrated feed pump

+ DOUBLE EQUIPMENT

The discharge hose has a C connection on both sides

+ MANUAL

With hand-held controls for regulating the suction power

+ NON-STOP TECHNOLOGY

With an integrated drainage pump for non-stop suction

+ FLEXIBLE

Drain away any amount of dirty water

+ GOODBYE WASTE WATER

Pumps out waste water even at different heights

+ MOVE IT

With its transport rollers and the adjustable handle, you can move your PondoVac easily and effortlessly

+ MONSTER SUCTION

Depending on the conditions of use, it can achieve suction capacity of up to 8000 l/h

+ BIG WHEEL DESIGN

More ground clearance, noise-reducing tyres included

+ DEEP ACTION

The PondoVac 5 achieves a maximum suction depth of 2.50 m with its powerful 1700 W motor with optimised blade geometry

+ VERSATILE




You can use your PondoVac 5 to clean garden ponds, swimming pools or natural pools. Or use it as a powerful wet vacuum cleaner in your home or business premises

+ MONITORING

The transparent suction tube lets you keep an eye on the flow rate at all times



ACCESSORIES

Product	Product details	Stockist PU in units	Item no. (GB Version)	Item no.	
Extension hose PondoVac 5 > Page 358	Extends the discharge hose by another 10 m. Includes two-sided C-coupling.		-	43487	
Telescopic pole PondoVac > Page 358	The three-part eccentric adjustment makes it easy to change to lengths between 1.8 m and 4.8 m. Includes quick-release connectors and plastic handles.	1	Not available in GB	40303	
Floating hose set PondoVac 5 > Page 359	Set consisting of 10 m floating hose Ø 38 mm and adapter for using the nozzle attachments included in the scope of delivery.			41984	



1. In use:

PondoVac 5

2. Drain with C-connection

On the pressure side, the PondoVac 5 has plastic C-connections for the discharge hose – reliable and sealed tight.

3. Big wheel chassis

Extra large wheels (155 mm) ensure suitability for rough terrain. The extremely quiet tyres allow the vacuum to be moved about with little noise.

4. Pre-filter bags

Larger particles such as stones or leaves are retained in the tank. Emptying is particularly convenient by means of a zip. For retention of smaller particles > 1 mm, an additional fine filter bag is included for the outlet – not suitable for pond sludge.

TECHNICAL DATA

Product	PondoVac 5	
Dimensions (L x W x H)	mm	436 x 425 x 716
Rated voltage		230 V/50 Hz
Power consumption	W	1700
Pump power consumption	W	900
Power cable length	m	7.50
Net weight	kg	24.30
Guarantee (+ request guarantee) *	Years	2 + 1
Max. suction depth	m	2.50
Max. flow rate	l/h	8000
Length of suction hose	m	5.00
Length of discharge hose	m	10.00
Operation with floating hose		38 mm
Stockist PU	Units	1
Item no. (GB Version)		41983
Item no.		41982

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee



PondoVac 4

Powerful pond and pool vacuums – without irritating interruptions

+ VERSATILE

You can use your PondoVac 4 to clean garden ponds, swimming pools or natural pools. Or use it as a powerful wet vacuum cleaner in your home or business premises

+ NON-STOP TECHNOLOGY

The two cylinders of the same size in the two-chamber system fill and empty simultaneously, in an alternating fashion. This enables non-stop suction

+ MONITORING

The transparent suction tube lets you keep an eye on the flow rate at all times

+ DEEP ACTION

Achieves a maximum suction depth of 2.40 m with its powerful 1700 W motor with optimised hose geometry

+ MANUAL

With hand-held controls for regulating the suction power

+ MOVE IT

With its transport rollers and the adjustable handle, you can move your PondoVac easily and effortlessly

+ HIGH SUCTION


Creates up to 5000 l/h, depending on operating conditions



ACCESSORIES

Name	Product details	Stockist PU in units	Item no. (GB Version)	Item no.
Extension discharge set PondoVac > Page 358	2.5 m hose with connecting sleeve and collection basins for coarse debris – not suitable for pond sludge!	1	Not available in GB	55448





1. Carrying handle, transport rollers + suction pipe holder

Fast and convenient transport to the new location thanks to the adjustable and ergonomically shaped carrying handle.

2. Manual control unit

For regulating the suction power, for example in shallow water. Also enables intermittent backflushing of clogged nozzles.

3. Dirt collection basin

For retaining coarse particles > 1 mm at the outlet of the cleaned water – not suitable for pond sludge.

4. Optional accessories:

Brush nozzle

TECHNICAL DATA

Product	PondoVac 4	
Dimensions (L x W x H)	mm	435 x 395 x 670
Rated voltage	230 V/50 Hz	
Power consumption	W	1700
Power cable length	m	4.00
Net weight	kg	13.10
Guarantee (+ request guarantee) *	Years	2 + 1
Max. suction depth	m	2.40
Max. flow rate	l/h	5000
Length of suction hose	m	5.00
Length of discharge hose	m	2.50
Operation with floating hose	Not possible	
Stockist PU	Units	1
Item no. (GB Version)	42939	
Item no.	50388	

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee

PondoVac 3

Convenient and effective – without irritating interruptions

+ VERSATILE

Clean the garden pond, swimming pools or natural pools with your PondoVac 3. Or use it as a powerful wet vacuum cleaner in your home or business premises

+ MOVE IT

With its transport rollers and the adjustable handle, you can move your PondoVac 3 easily and effortlessly

+ MONITORING

The transparent suction tube lets you keep an eye on the flow rate at all times

+ HIGH SUCTION

Creates up to 4000 l/h, depending on operating conditions

+ DEEP ACTION


Achieves a maximum suction depth of 2.10 m with its powerful 1600 W motor




+ NON-STOP TECHNOLOGY

The two cylinders of the same size in the two-chamber system fill and empty simultaneously, in an alternating fashion. This enables non-stop suction

ACCESSORIES

Name	Product details	Stockist PU in units	Item no. (GB Version)	Item no.	
Extension discharge set PondoVac > Page 358	2.5 m hose with connecting sleeve and collection basins for coarse debris – not suitable for pond sludge!	1	Not available in GB	55448	



1. In use:

PondoVac 3

2. Carrying handle, transport rollers + suction pipe holder

Fast and convenient transport to the new location thanks to the adjustable and ergonomically shaped carrying handle.

3. Two-chamber system

Two cylinders of the same size are alternately filled and emptied simultaneously. This enables continuous vacuuming.

4. Dirty water drain

Simply dispose of it as an "organic fertiliser" in the flower bed or pour down the drain.

TECHNICAL DATA

Product	PondoVac 3	
Dimensions (L x W x H)	mm	435 x 395 x 670
Rated voltage		230 V/50 Hz
Power consumption	W	1600
Power cable length	m	4.00
Net weight	kg	12.62
Guarantee (+ request guarantee) *	Years	2 + 1
Max. suction depth	m	2.10
Max. flow rate	l/h	4000
Length of suction hose	m	4.00
Length of discharge hose	m	2.50
Operation with floating hose		Not possible
Stockist PU	Units	1
Item no. (GB Version)		37148
Item no.		37102

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee

PondoVac Classic

Wet and dry vacuum cleaner for the pond and home



+ DEEP ACTION

Achieves a maximum suction depth of 2 m

+ 1400 WATTS

Effective sludge removal thanks to powerful 1400 W motor

+ SMART

Fully automatic activation and emptying, thanks to intelligent motor electronics

+ MONITORING

The transparent suction tube lets you keep an eye on the flow rate at all times


+ HIGH SUCTION

Creates up to 3000 l/h, depending on operating conditions

+ DESIGN

Compact and with a 27 l dirty water tank

ACCESSORIES

Name	Product details	Stockist PU in units	Item no. (GB Version)	Item no.	
Extension drain set PondoVac > Page 358	2.5 m hose with connecting sleeve and collection basins for coarse debris – not suitable for pond sludge!	1	Not available in GB	55448	



1. In use:

PondoVac Classic

2. Switch

Convenient, illuminated toggle switch for starting the vacuuming process.

3. Plug-in connections

For quick installation of suction and discharge hoses.

4. Quick-release closure

For easy opening of the motor unit.

TECHNICAL DATA

Product	PondoVac Classic	
Dimensions (L x W x H)	mm	370 x 370 x 580
Rated voltage		220–240 V/50 Hz
Power consumption	W	1400
Power cable length	m	4.00
Net weight	kg	9.50
Guarantee *	Years	2
Max. suction depth	m	2.00
Max. flow rate	l/h	3000
Length of suction hose	m	4.00
Length of discharge hose	m	2.00
Operation with floating hose		Not possible
Stockist PU	Units	1
Item no. (GB Version)		50110
Item no.		50529

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee

Pond vacuum & pool vacuum accessories

TECHNICAL DATA



Product	Extension drain set PondoVac
Suitable for	PondoVac Classic, PondoVac 3, PondoVac 4
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	55448

TECHNICAL DATA



Product	Discharge hose, stable PondoVac Prem.
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	41298

TECHNICAL DATA



Product	Premium rollable hose, rubberised C-52-10
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40302

TECHNICAL DATA



Product	Extension hose PondoVac 5
Suitable for	PondoVac 5
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	43487

TECHNICAL DATA



Product	Telescopic pole PondoVac
Suitable for	PondoVac 5, PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40303

TECHNICAL DATA



Product	Suction bell PondoVac Premium
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40304

Pond vacuum & pool vacuum accessories

TECHNICAL DATA



Product	Wide-area nozzle PondoVac Premium
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40307

TECHNICAL DATA



Product	Flat nozzle PondoVac Premium
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40306

TECHNICAL DATA



Product	Round nozzle PondoVac Premium
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40305

TECHNICAL DATA



Product	Floating suction hose PondoVac Premium
Suitable for	PondoVac Premium
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	40301

TECHNICAL DATA



Product	Floating hose set PondoVac 5
Suitable for	PondoVac 5
Stockist PU	Units 1
Item no. (GB Version)	Not available in GB
Item no.	41984

Useful pond aids

PROFI POND NET



Product	Profi Pond net	
Dimensions (L x W x H)	cm	40 x 30 x 20
Shape	Rectangular	
Mesh size	0.5 mm	
Guarantee *	Years	2
Handle type	Telescopic	
Min. handle length	cm	113
Max. handle length	cm	190
Max. total length	cm	230
Stockist PU	Units	5
Item no. (GB Version)	Not available in GB	
Item no.	50078	

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee

DIPPING NETS



Product	Pond net triangular	Pond net round extra large	Algae net extra fine triangular
Dimensions (L x W x H)	cm	40 x 41 x 25	56 x 56 x 32
Shape	Triangular	Round	Triangular
Mesh size	4 mm		2 mm
Guarantee *	Years	2	
Handle type	Telescopic		
Min. handle length	cm	70	90
Max. handle length	cm	150	160
Max. total length	cm	190	216
Stockist PU	Units	5	
Item no. (GB Version)	-	-	-
Item no.	84308	84310	84318

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee

DIPPING NETS



Product	Fish net small	Fish net large	Algae net small	Algae net large	Pond net foldable	Pond net rectangular
Dimensions (L x W x H)	cm	25 x 25 x 17	38 x 38 x 26	25 x 17 x 7	38 x 26 x 9	40 x 38 x 45
Shape	Round		Rectangular		Triangular	Rectangular
Mesh size	9 mm		0.3 mm		5 mm	
Guarantee *	Years	2				
Handle type	Fixed	Telescopic	Fixed		Telescopic	
Min. handle length	cm	88	74	88	74	90
Max. handle length	cm	88	140	88	140	150
Max. total length	cm	113	178	113	178	190
Stockist PU	Units	10				5
Item no. (GB Version)	-	-	-	-	-	-
Item no.	36300	36299	36298	36297	84296	84297

*Guarantee subject to OASE's guarantee conditions, which can be viewed at www.oase.com/guarantee